Patient Equality Act Assessment for

Medication Reasonable Adjustment

This assessment tool should be used when a patient presents with a compliance problem with their prescribed medicine, or a request is made for a patient to have the presentation of their medication adjusted (e.g., from the patient, carer, GP or other healthcare professional). Using this tool will allow a judgment to be made on how best to adjust the presentation of the patient's medication.

This assessment should be carried out in line with the RPS recommendations by the pharmacist supplying the medication, and can be used to determine what (if any) reasonable adjustment is required under the Equality Act (2010). For patients being discharged from hospital the community pharmacist may repeat this assessment before agreeing to continue any solutions provided by the hospital pharmacist.

Patient Details					
Name	If Applicable				
Address	NHS Number				
	Hospital, Ward				
	Hospital number (if known)				
D.O.B					
GP Practice	Does the patient have a long-term disability covered by the equality act? Yes No				
Tel	If 'yes', proceed to Step 1. If 'no', the patient				
Pharmacy	does not meet the requirements for additional medicines compliance support. Provide appropriate advice and guidance.				

Total number of medicines taken AM Lunch PM Night Daily doses: Weekly doses: Additional PRN medicines: Any medicines unsuitable to be re-packed in to Multi-compartment Compliance Aid?

Step 2		What can the patient manage?		
			Yes	No
Physical	Swallowing	Swallow all their tablets/capsules?		
	Dexterity	Grip medicine bottles?		
		Open and close child-resistant lids?		
		Open and close screw lids?		
		Open and close winged lids?		
		Open medicine boxes?		
		Open blister strips?		
		Halve tablets themselves (if required)?		
	Vision	Read standard print labels?		
		Read large print labels?		
		Read braille labels (if patient blind)?		
Mental	Understanding	Understand each medicine dosage instruction?		
		Understand the reason for each medicine?		
		Understand how to take PRN medication?		
		Understand how to take variable doses (e.g. warfarin)?		
	Memory	Remember to take their medication regularly?		
		Remember to order their repeat medication?		

If the answer to each question is '**yes**', it is unlikely that the patient requires additional medicines compliance support.

If the answer to any question is 'no', proceed to the suggested adjustments in **Step 3** on next page.

This is a list of suggested adjustments to aid compliance problems, however it is not exhaustive and others can be used if appropriate for the patient.

What adjustments are best for the patient?

Problem	Suggested solutions	Action plan
Swallowing	Provide liquid formulations	
	 Provide soluble formulations 	
	 Simplify regime to once daily/combination preps 	
	 Refer to recommendations made by Speech & Language therapy 	
Dexterity	Provide screw/winged lids	
	Provide large bottles/boxes	
	 Dispense blister packed medicines into bottles 	
	Provide halved tablets	
	Relative/carer administers all medication	
Vision	Provide large print labels	
	 Provide symbols on each box 	
	 Provide braille labels (if possible) 	
	Relative/carer administers all medication	
	 A Multi-compartment Compliance Aid (MCA), e.g. Dosette 	
Understanding	 Provide a Medicines Reminder Sheet 	
	Simplify medication regime	
	Medicines Use Review	
	Relative/carer administers all medication	
Memory	 Provide a Medicines Reminder Sheet or MAR chart 	
	Simplify medication regime	
	Relative/carer administers all medication	
	 Organise repeat prescription collection/delivery service 	
	A Multi-compartment Compliance Aid (MCA), e.g. Dosette	

Step Summary and Assessor Details					
MCA Checklist			No		
Can the patient select medication from the correct compartment?					
Can the patient remove the medication from the box?					
Does the patient understand how the MCA is to be used?					
Is the patient willing to change current medication system?					
Is the pharmacy prepared to supply a pharmacy-filled MCA?					
If the answers to the questions are yes , a pharmacy-filled MCA should be supplied.					
Outcome of Assessment		Tick			
It is my opinion that this patient does not have a medicines compliance problem					
It is my opinion that this patient does have a medicines compliance problem and would benefit from the adjustments detailed in Step 3 Action Plan .					
If an MCA is appropriate, give action plan for any PRN medication:		•			
Name Signature					
Date of assessment					
Patient signature (if applicable)					

